JC07 Rec'd PCT/PTO 1 2 DEC 2000

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE FORM PTO-1390 (REV. 9-2001) JEN-002 TRANSMITTAL LETTER TO THE UNITED STATES US APPLICATION NO (If known, see 37 CFR 1 5 DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371 INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE PRIORITY DATE CLAIMED 20 JUNE 2000 21 JUNE 1999 PCT/GB00/02384 TITLE OF INVENTION PRODUCT CATALOGUE PRODUCTION SYSTEM APPLICANT(S) FOR DO/EO/US Wijeyaratnam Shantharuban and Peter D. R. Landale Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: 1. This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below. The US has been elected by the expiration of 19 months from the priority date (Article 31). A copy of the International Application as filed (35 U.S.C. 371(c)(2)) is attached hereto (required only if not communicated by the International Bureau). has been communicated by the International Bureau. WO 00/79409 is not required, as the application was filed in the United States Receiving Office (RO/US). 6. 🗷 An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). is not required - Int'l. application filed in English. consocatobachecuexac has been previously submitted under 35 U.S.C. 154(d)(4). Amendments to the claims of the International Aplication under PCT Article 19 (35 U.S.C. 371(c)(3)) are attached hereto (required only if not communicated by the International Bureau). have been communicated by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired. k have not been made and will not be made. 8. An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)). 9. An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. An English lanugage translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11 to 20 below concern document(s) or information included: An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 11. 12. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. **X** A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment. A substitute specification. 16. A change of power of attorney and/or address letter. A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825. 17. A second copy of the published international application under 35 U.S.C. 154(d)(4). 19. A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 20. Other items or information: Certification Under 37 CFR 1.10

A .			531 Rec'd F	CT/772 19	DFC 2001
U.S. APPLICATION NO (1fkno	Jn, SP37/CFR L. J. J.	PCT/GB00/02384		ATTORNEY'S D JEN-002	OCKET NUMBER
21. The follow	ing fees are submitt	ed:		CALCULATIONS	PTO USE ONLY
	FEE (37 CFR 1.49			1	
nor international se	arch fee (37 CFR 1	nination fee (37 CFR 1.482).445(a)(2)) paid to USPTO epared by the EPO or JPO	\$1040.00		
		fee (37 CFR 1.482) not paid rt prepared by the EPO or JF			
International prelim but international se	ninary examination arch fee (37 CFR 1.	fee (37 CFR 1.482) not paid 445(a)(2)) paid to USPTO	to USPTO \$740.00		
International prelim but all claims did no	ninary examination of satisfy provisions	fee (37 CFR 1.482) paid to U of PCT Article 33(1)-(4)	JSPTO \$710.00		
International prelin	ninary examination	fee (37 CFR 1.482) paid to UCT Article 33(1)-(4)	JSPTO \$100.00		
		TE BASIC FEE AMO		\$ 890.00	
Surcharge of \$130.0 months from the ear	0 for furnishing the liest claimed priorit	oath or declaration later than y date (37 CFR 1.492(e)).	20 30	\$	
CLAIMS	NUMBER FILEI	NUMBER EXTRA	RATE	\$	
Total claims	14 - 20 =	= 0	x \$18.00	\$	
Independent claims	1 -3 =		x \$84.00	\$	
MULTIPLE DEPEN		` 	+ \$280.00	\$	
<u>1:</u>		L OF ABOVE CALC		\$ 890.00	
Applicant claim are reduced by		s. See 37 CFR 1.27. The fee	es indicated above	\$	
			SUBTOTAL =	\$ 890.00	
Processing fee of \$1 months from the ear	30.00 for furnishing liest claimed priorit	g the English translation later y date (37 CFR 1.492(f)).		\$	
		TOTAL NATI		\$ 890.00	
Fee for recording the accompanied by an	e enclosed assignme appropriate cover sh	ent (37 CFR 1.21(h)). The as eet (37 CFR 3.28, 3.31). \$4	ssignment must be 0.00 per property +	\$	
		TOTAL FEES	ENCLOSED =	\$ 890.00	
				Amount to be refunded:	\$
				charged:	\$
b. Please char A duplicate	rge my Deposit Acc e copy of this sheet		in the amount of \$	to cover	
		uthorized to charge any addi unt No. <u>19-0590</u> . A dup			t any
		edit card. WARNING: Informulation Indeed on this form. Provide			
		limit under 37 CFR 1.494 or carted to restore the applica			evive (37 CFR
SEND ALL CORRESP	ONDENCE TO:		114		hnec &
Thomas Schne	eck		SIGNAT		
	Thomas Schneck	(nas Schneck	
P.O. Box 2-E San Jose, CA	95109-0005		NAME		
Tel: (408) 297			24,5		
Fax: (408) 297	7-9748		REGIST	RATION NUMBER	
Email: tschne	ck@patentvalley.c	com			

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Wijeyaratnam Shantharuban et al. PATENT APPLICATION

Serial No.:

Filed: June 20, 2000 (IA filing date)

For: PRODUCT CATALOGUE PRODUCTION SYSTEM

Preliminary Amendment

Commissioner for Patents Washington, D.C. 20231

Sir:

DOLBEGE OFORCE

Applicants in the above identified patent application submit the following preliminary amendment. Please enter the amendments prior to filing the application.

In the claims:

Please delete claims 15-16.

Please amend claims 1-4, 6, 9, 11 and 13-14. A fresh set of all of the claims of the application is included herewith.

J:Jen002PrelAmt

- 1. (Amended) A product catalogue production system comprising [a] data storage [means] apparatus for storing [product data in the form of product codes and associated product attribute data items, said data storage means having a data structure allowing a plurality of product attribute data items to be associated with a product code, said data structure structuring the product data, when a plurality of product attribute data items are associated with a given product code, in the form of a plurality of product data records each including the given product code and an associated product attribute data item] data relating to a plurality of products, characterized in that said data is stored in a data structure comprising: a first data store where attributes of said plurality of products are each identified by an attribute code, and a second data store where each attribute of a given product of the plurality of products is recorded as a product record, each product record comprising a product identifier for said given product and one of the attribute codes from said first store, the total number of product records for a given product being equal to the number of product attributes possessed by said given product.
- 2. (Amended) A product catalogue production system according to claim 1, wherein <u>said product records comprise</u> [the attribute data item is an attribute code associated with] an attribute value, [and the] <u>said</u> attribute value [is] <u>being</u> associated with the attribute code in a separate data record.
- 3. (Amended) A product catalogue production system according to claim 1 [or 2], wherein said plurality of product data records are stored in one storage table of a relational database.

- 4. (Amended) A product catalogue production system according to [any preceding claim] claim 1, wherein said data storage [means is] apparatus further comprises a data store for storing product classification data in the form of classification data records associated with said product codes.
- 6. (Amended) A product catalogue production system according to claim 4 [or 5], wherein said <u>data</u> storage [means is] <u>apparatus</u> further [for storing] <u>comprises a store for</u> product structure data, whereby a set of possible attributes is defined for a product falling within a product classification, and <u>a data store for</u> product structure control data, whereby a product structure is associated with a product classification.
- 9. (Amended) A product catalogue production system according to [any of claims 4 to 8] <u>claim 4</u>, wherein a classification data record [is for storing] <u>comprises</u> a pointer to a further classification data record, to define a relationship in a classification hierarchy.
- 11. (Amended) A product catalogue production system according to [any of claims 4 to 10] claim 4, wherein said classification data records [are for storing] store classification data in the form of classification codes and associated classification attribute data items, said data storage [means] apparatus having a data structure allowing a plurality of classification attribute data items to be associated with a classification code, said data structure structuring the classification data, when a plurality of classification attribute data items are associated with a given classification code, in the form of a plurality of classification data records each including the given classification code and an associated classification attribute data item.

- 13. (Amended) A product catalogue production system according to claim 11 [or 12], wherein the classification attribute data item is an attribute code associated with an attribute value, and the attribute value is associated with the attribute code in a separate data record.
- 14. (Amended) A product catalogue production system according to claim 13, wherein the attribute values associated with a classification record in the data storage [means] apparatus may also be associated with an otherwise unrelated product record, by means of said attribute code.

REMARKS

Applicants request entry of the above amendment in order to place the application in better form for allowance.

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below in an envelope as "Express Mail Post Office to Addressee" addressed to: Commissioner for Patents, BOX PCT, Washington, D.C. 20201

Signed: Jally Cycled
Typed Name: (Sally Azevedo

Date:_______December 12, 2001

Respectfully submitted,

Thomas Schneck

Reg. No. 24,518

P.O. Box 2-E

San Jose, CA 95109-0005

(408) 297-9733

PRODUCT CATALOGUE PRODUCTION SYSTEM

The present invention relates to a product catalogue production system, in particular one in which product catalogue data is stored in a database, the database storing a plurality of attributes for a product and product data may be organised into a hierarchical category structure.

A typical prior art data structure for a database used in a product catalogue production system is schematically illustrated in Figures 6 and 7. The products are classified into sections, sub-sections, groups within subsections and categories within groups. A product may fall into a plurality of categories, and a category may include a plurality of products. Figure 6 shows the data storage tables used in the database to store the product data, and the interrelationships between the data storage tables. Each of a section storage table 50, a sub-section storage table 52, a group storage table 54 and a category storage table 56 store data records for each respective classification at the hierarchical level for which the storage table is responsible. The subsection table 52 includes, in each sub-section record, a pointer to the section record pertaining to the section which each sub-section falls under. This is thus a one-to-many relationship, as indicated by the arrows fanning out from section storage table 50 to sub-section storage table 52. Similar one-to-many relationships occur between the sub-section storage table 52 and the group storage table 54, and the group storage table 54 and the category storage table

5

10

15

20

10

15

20

WO 00/79409 PCT/GB00/02384

2

56, respectively. A category-product storage table 58 stores relationships between the categories for which data is stored in category storage table 56 and the products for which product data is stored in product storage table 60. Each of the category storage table 56 and the product storage table 60 bearing one-to-many relationship to the category-product storage table 58.

Figure 7 illustrates the product storage table 60, and its associated attribute control file 70, in greater detail. The product storage table 60 is organised into a predetermined number of columns 62 and a row 64 for each product for which attribute data is to be stored. Each row 64 provides one product record, storing an attribute data item in each field. The attribute name for each field is stored in the corresponding field 72 of the attribute control file.

The following problems apply to the above-described typical data structures. Firstly, the number of hierarchical classifications of the products is limited, and identical for each product. In the example shown in Figure 6, there are four such classification levels. Fixed data structures associated with each hierarchical level limit the number and structure of classification attributes which may be associated with each classification level.

Furthermore, where a product catalogue requires the existence of large numbers of product attributes, and where there are large numbers of products in the catalogue, the number of cells which are empty within the product table 60 becomes very large, since many attributes will not be associated with the

10

15

20

majority of the products. For example, if a product catalogue includes one million products, one thousand different attributes are defined for those products, and the average number of attributes defined for each product individually is 20, 98% of the cells would be empty. This leads to inefficiencies in the data storage structure.

It would be desirable to provide a data storage structure for a product catalogue production system which is well adapted to handle complex product structures and data relating to very large numbers of products.

Furthermore, it would be desirable to provide an architecture for a product catalogue production system which is relatively simple to use for an operator of the system whilst allowing flexibility, and in particular, multi-configurability, in the product structures and product data to be stored, so that the system may be used in a variety of product catalogue production contexts.

In accordance with the present invention there is provided a product catalogue production system comprising a data storage means for storing product data in the form of product codes and associated product attribute data items, said data storage means having a data structure allowing a plurality of product attribute data items to be associated with a product code, said data structure structuring the product data, when a plurality of product attribute data items are associated with a given product code, in the form of a plurality of product data records each including the given product code and an associated product attribute data item.

10

15

20

WO 00/79409 PCT/GB00/02384

4

Accordingly, the number of product attribute data items which may be associated with the given product data reference is not determined by the number of product attribute data items associated with a different product data reference, nor by the data structure itself.

An embodiment of the invention will now be described, by way of example only, with reference to the accompanying drawings, wherein:

Figure 1 schematically illustrates a product catalogue production system in accordance with an embodiment of the invention;

Figure 2 illustrates a set of product storage tables, and relationships therebetween, used in a database in accordance with this embodiment of the invention;

Figure 3 illustrates in further detail fields present in a product storage table, an attributes control storage table and an attributes values table, in accordance with this embodiment of the invention;

Figure 4 illustrates fields present in a classification control storage table, a product structure control storage table and a product structure detail storage table, in accordance with this embodiment of the invention;

Figure 5 illustrates fields present in a classification detail storage table and the attributes control storage table and the attributes value storage table of this embodiment of the invention;

Figure 6 illustrates a set of data storage tables used in prior art product catalogue production systems; and

10

15

20

WO 00/79409

Figure 7 illustrates a product storage table and an attributes control file, used in prior art product catalogue production system.

Figure 1 schematically illustrates a product catalogue production system in accordance with an embodiment of the invention. The system includes a software platform 2 including a relational database 8 and several interworking catalogue production software applications 10-18. The relational database 8 may be run on any SQL 92-compliant data server, such as an Oracle (TM) or Sybase (TM) data server. The catalogue production software applications 10-18 may be run on an appropriate server facility such as a Microsoft NT (TM) server. The system also includes a plurality of plugin media-specific catalogue publishing software applications 4, which may also be run on an appropriate server facility, such as a Microsoft NT (TM) server, and a number of catalogue output devices 6, which may include a Web server.

The catalogue production software applications include a core data manager 10, which enables product details to be stored in attributes defined using structured meta data which allows for inheritance of the product characteristics. The storage architecture of the relational database is handled by the functionality of the core data manager. The core data manager 10 provides the infrastructure used by an operator of the system, working on a client workstation, for capturing and retrieving both key product information

10

15

20

and further product information including multimedia data files, text data files containing technical specifications, etc.

A catalogue compiler software application 12 constructs a data set used for a catalogue. Query criteria are entered by an operator of the system, working on a client workstation, using selection screens on a data input device which generates Structured Query Language (SQL) interactions to select the sub-set of the core data to be used in the catalogue to be produced.

A catalogue layout designer software application 14 includes medianeutral routines for laying out catalogue data and media-specific routing for providing templates for defining the navigational and look and feel rules for generating data to be used in the production of paper-format catalogues and electronic-format catalogues, respectively.

A catalogue production manager software application 16 creates laidout catalogues by presenting core data as selected by the catalogue compiler 12.

A catalogue update manager software application 18 ensures that any changes made to core data are reflected automatically in the catalogues produced in the system.

Four exemplary plug-in software applications are illustrated in Figure 1. A first plug-in module 19 is an Internet catalogue publishing module. The module takes data from the catalogue layout designer 14, the catalogue production manager 16 and the catalogue update manager 18 and formats

15

20

5

WO 00/79409 PCT/GB00/02384

7

same as an on-line Internet catalogue held on a Web server. The Internet catalogue is accessed by users via an Internet interface device 26.

A second catalogue publishing module 20 produces a master CD-ROM catalogue. The CD-ROM module 20 takes data from the catalogue layout designer 14 and the catalogue production manager 16 and provides a catalogue in the form of a binary database which is loaded onto a master CD-ROM via a CD-ROM output device 28. The master CD-ROM may subsequently be copied for mass-production of CD-ROM product catalogues.

A third catalogue publishing module 22 provides a paper catalogue. The paper module 22 interfaces with Quark Xpress (trade mark) and provides for the automatic creation of paper catalogues using data provided by the catalogue layout designer 14, the catalogue production manager 16 and the catalogue update manager 18. The output data is loaded onto a storage medium, such as magnetic tape, on a data output device 30. The output data may subsequently be used at a printing facility for the mass-production of paper product catalogues.

A fourth catalogue publishing module 24 which may be implemented on the system is a user-specific catalogue production module, allowing users to design suitable catalogues and output those catalogues onto any desired media, via a desired media output device 32.

Figure 2 illustrates the data storage tables implemented by the core data manager 10 for data stored in the relational database 8.

10

15

20

The data storage tables include an attribute control table 100 which stores control data about all product and classification attributes. A product detail table 200 stores product detail data in records consisting of a reference to product attributes and attribute values. There can be many product detail records for each product.

An attribute value table 300 stores the actual values of attributes related to each product and classification. A product control table 400 stores control data about all products, a single record being provided per product.

A classification-product-link table 500 stores relationships between classifications and products. The table consists of records including a single product code, being a unique product identifier, and a single classification code, being a unique classification identifier. A plurality of such records may include the same product code, and a plurality of the records may contain the same classification code. Thus, the classification-product-link table may store more than one classification for each product, and more than one product for each classification.

A classification control table 600 stores control data about all classifications, including all classifications at different hierarchical levels. The classification control table 600 also defines the vertical relationships between different classifications, in the form of child-parent interlinking.

A classification detail table 700 stores classification detail data in the form of records consisting of a reference to a classification attribute and the

10

15

20

WO 00/79409 PCT/GB00/02384

9

corresponding attribute values stored in the attribute control table 100 and the attribute value table 300, respectively. Thus, the attribute control data and attribute value data stored in attribute control table 100 and the attribute value table may be related to both product records and classification records. Each classification may be related to many classification detail records.

A product structure control table 800 stores control data about product structures. One product structure can be used by any of a number of different classifications at any of the hierarchical levels within the database.

A product structure detail table 900 stores product structure detail data in the form of records consisting of a reference to product attributes and sort order. The product attribute references are references to records stored in the attribute control table 100. Each product structure may be related to many product structure detail records.

The product structures defined in the product structure tables 800, 900 are intended to be inherited by products classified within the classifications to which the relevant product structures are related. This allows all product records within a classification to inherit a defined list of attribute types, defined in the attribute control table 100, without yet defining the actual values which those attributes are to take. Rules may be defined in the system by a user as to the way in which product structures are inherited when two or more levels of classification exist for a product. For example, the product may inherit only the product structure of the lowest level of classification in

10

15

20

WO 00/79409 PCT/GB00/02384

10

which the product is grouped. Alternatively, the product structures of all levels of classification may be merged to produce a combined product structure list to be inherited by all products within a low-level product classification.

Reference is now made to Figure 3, in which the fields of each of the product detail table, the attribute control table 100 and the attribute value table 300 is shown in greater detail.

The product detail table 200 is capable of storing and manipulating an unlimited (other than by way of the total amount of storage available in the table) number of attributes for a given product. Therefore, for a given product control record there can be one or many product detail records stored depending on the number of product attributes to be associated with a respective product.

Each product detail record includes five fields. A product code field 202 stores the product code (P-Code), which is a unique identifier for each product. An attribute code field 204 stores a unique identifier, the attribute code (A-Code), which is a pointer to an attribute control record stored in the attribute control table 100. A data type field 206 stores a type identifier (D-Type) for the attribute value data identified in the product detail record. The attribute value data may consist of one of four types, namely either a memo field (consisting of a large amount of text data), a text field (consisting of a relatively small amount of text data), an object field (consisting of

10

15

20

multimedia-type data, such as a picture file or a Power Point (trademark) file), or a number field, which stores for example price data.

A value code field 208 stores the value code (V-Code), which is a unique pointer to an attribute value record stored in the attribute value table 300, which contains the actual value data for the attribute. A sequence code field 210 stores a numerical sort code (S-Code) allowing the product attributes to be sorted in order.

The attribute control table 100 includes a data field 102 for storing a unique identifier for an attribute, the attribute code (A-Code). An attribute description field 104 stores a name (A-Desc) for each attribute.

The attribute value table 300 includes a value code field 302, whereby an attribute data item (V-Value), stored in field 304 of the attribute value table, is related to a product detail record by means of the value code (V-Code). An attribute value data item may be related to one, or a plurality of, product detail records. The relationship is set by including the appropriate value code in the appropriate product detail record(s).

Referring to Figure 4, a classification control table includes five fields for storing classification control data. The classification control table is capable of storing multiple and various configurations of classification hierarchies, which are configurable both vertically and horizontally in the ways they are interrelated. A child classification is defined in the hierarchy to which it belongs by storing a unique identifier, the parent code (PA-Code), of

10

15

20

the immediate upper level classification being a parent classification. Only the highest level of classification is an exception to this rule.

A classification code field 602 stores the classification code (C-Code), which is a unique identifier for each classification record. It is the classification code of the parent classification related to the entry stored in the parent code field 606, of a child classification. The attributes defined for a parent classification may thus be inherited by its one or more child classification(s), via the parent code/classification code relationship.

A sequence code field 610 stores a numerical sort code (S-Code) used to sort the order of the child classifications for a given parent classification.

A classification description field 604 stores a name (C-Desc) for the classification. A product structure code field 608 stores a product structure code (PS-Code), which is a unique identifier for a product structure record stored in the product structure control table 800.

The product structure control table 800 includes a product structure code field 802, which stores the product structure code (PS-Code) whereby the product structure record is related to a classification control record. Each classification control record is related to a limit of one product structure record. Conversely, a product structure record may be related to one or many different classification control records, since the same product structure code may be stored in many classification control records. A product structure

10

15

20

description field 804 contains a name of the product structure (PS-Desc), for maintenance purposes.

The product structure detail table 900 includes a product structure code field 902, which stores the product structure code (PS-Code) whereby a product structure detail record is related to the product structure control record. A plurality of product structure detail records may contain the same product structure code in field 902, thereby relating a plurality of product structure detail records to a single product structure control record. Each product structure detail record includes a single attribute code field 904, referring to an attribute control record stored in the attribute control table 100. A sequence code field 906 stores a numerical sort code (S-Code) allowing a plurality of attributes to be sorted for a given product structure.

The product structure detail table 900 thus stores one or many attribute codes for a product structure without any limitation on the number of attributes which may be associated with a particular product structure.

Referring to Figure 5, the classification detail table 700 is capable of storing references to an unlimited (other than by way of the total amount of storage available in the table) number of attributes for a given classification. For a given classification control record there may be one or many related classification detail records, depending on the number of classification attributes associated with the classification in records. Each classification detail record contains fields identical with the product detail records stored in

WO 00/79409 PCT/GB00/02384

14

product detail table 200, and having the same functionality, except that a classification code (C-Code), uniquely identifying the classification, is stored in field 702 rather than a product code. Field 704 stores an attribute code (A-Code) for a related attribute control record, field 706 stores a data type (D-Type), field 708 stores a value code (V-Code) pointing to an attribute value record stored in attribute value table 300, and field 710 stores a numerical sort code (S-Code) for sorting the classification attributes, where a number of classification detail records include the same classification code in field 702, that is to say where a classification is provided with a plurality of attributes.

10

5

The attribute control table fields and attribute value table fields illustrated in Figure 5 are the same as those illustrated in Figure 3. Notably, attribute control data and attribute value data may be associated only with one or more products, only with one or more classifications, or with both one or more products and one or more classifications. Whether the attribute control data or attribute value data is associated with a product or a classification, the relevant data is stored in the same table, namely either the attribute control table 100 or the attribute value table 300.

20

15

It will be appreciated, that using the data structure described above with reference to Figures 2 to 5 allows considerable flexibility in the product structures defined for the relational database 8 of the product catalogue product system of the present invention. In particular, any number of attribute values may be associated with a product. That is to say, the data structure

10

15

WO 00/79409 PCT/GB00/02384

15

itself does not limit the number of attributes which may be associated with a particular product. In order to add one or more attributes for a particular product, all that is required, where the attribute control data and attribute value data already exists in the attribute control table 100 and the attribute value table 300, respectively, is an additional product detail record stored in current detail table 200. Where the attribute value and/or the attribute control data is as yet undefined, additional records are produced in the attribute control table 100 and/or the attribute value table 300. The number of attributes which may be defined for a particular product are therefore only limited by any rules implemented in the core data manager 10, and/or the storage capacity of the product catalogue production system.

It is to be appreciated that the term "attribute" as referred to herein is not in any way limiting as to the type of data referred to. Indeed, the term "attribute" as used herein is intended to include any types of data which may be associated with a product for catalogue production purposes.

It is to be appreciated that the above description is not intended to be in any way limiting. It is envisaged that various modifications and variations may be employed by the person skilled in the art, without departing from the scope of the present invention, which is defined in the appended claims.

CLAIMS

1. A product catalogue production system comprising a data storage means for storing product data in the form of product codes and associated product attribute data items, said data storage means having a data structure allowing a plurality of product attribute data items to be associated with a product code, said data structure structuring the product data, when a plurality of product attribute data items are associated with a given product code, in the form of a plurality of product data records each including the given product code and an associated product attribute data item.

- 2. A product catalogue production system according to claim 1, wherein the attribute data item is an attribute code associated with an attribute value, and the attribute value is associated with the attribute code in a separate data record.
- A product catalogue production system according to claim 1 or
 wherein said plurality of product data records are stored in one storage table
 a relational database.

20

5

10

15

FOOLES OF STORES

4. A product catalogue production system according to any preceding claim, wherein said data storage means is further for storing

10

15

WO 00/79409 PCT/GB00/02384

17

product classification data in the form of classification data records associated with said product codes.

- A product catalogue production system according to claim 4, wherein said product code/classification data association is a many-to-many association.
 - 6. A product catalogue production system according to claim 4 or 5, wherein said storage means is further for storing product structure data, whereby a set of possible attributes is defined for a product falling within a product classification, and product structure control data, whereby a product structure is associated with a product classification.
- 7. A product catalogue production system according to claim 6, wherein said product structure data is in the form of a plurality of product structure data records each including a product structure code and an associated product attribute control data item.
- 8. A product catalogue production system according to claim 7,
 wherein said product data records include a field for storing an attribute
 control data item stored in an associated product structure record.

9. A product catalogue production system according to any of claims 4 to 8, wherein a classification data record is for storing a pointer to a further classification data record, to define a relationship in a classification hierarchy.

5

10. A product catalogue production system according to claim 9, wherein said pointer is a pointer to a parent classification data record.

10

15

11. A product catalogue production system according to any of claims 4 to 10, wherein said classification data records are for storing classification data in the form of classification codes and associated classification attribute data items, said data storage means having a data structure allowing a plurality of classification attribute data items to be associated with a classification code, said data structure structuring the classification data, when a plurality of classification attribute data items are associated with a given classification code, in the form of a plurality of classification data records each including the given classification code and an associated classification attribute data item.

20

12. A product catalogue production system according to claim 11, wherein said plurality of classification data records are stored in one storage table of a relational database.

13. A product catalogue production system according to claim 11 or 12, wherein the classification attribute data item is an attribute code associated with an attribute value, and the attribute value is associated with the attribute code in a separate data record.

5

14. A product catalogue production system according to claim 13, wherein the attribute values associated with a classification record in the data storage means may also be associated with an otherwise unrelated product record, by means of said attribute code.

10


rocieses orest

15. A product catalogue production system substantially as hereinbefore described.


15


16. A data store for a product catalogue production system, said data store having a data storage structure substantially as hereinbefore described, in particular with reference to any of Figures 2 to 5 of the accompanying drawings.

1/4





2/4







3/4





PCT/GB00/02384





SUBSTITUTE SHEET (RULE 26)

Please type a	plus sign (+)	inside this box	\rightarrow	+

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)

□ Declaration Submitted with Initial Filing

OR

]	Declaration Submitted after Initia Filing (surcharge (37 CFR 1.16 (e)) required)

Attorney Docket Number	JEN-002					
First Named Inventor	SHANTHARUBAN					
COMPLETE	IF KNOWN					
Application Number	10 / 018,698					
Filing Date	06/20/2000 (IA Filing Date)					
Group Art Unit						
Examiner Name						

or (ıf plural									
or (if plural									
or (if plural									
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:									
PRODUCT CATALOGUE PRODUCTION SYSTEM									
CT International									
(if applicable).									
aims, as									
t or inventor's nited States of or's certificate,									
y Attached? NO									
B									
☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto									
application a data sheet d hereto.									
t i									

[Page 1 of 2]
Burden Hour Statement: This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



Please type a plus sign (+) inside this box + +	PTO/SB/01 (12-97) Approved for use through 9/30/00. OMB 0651-0032 Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE are required to respond to a collection of information unless it contains
a valid OMB control number	are required to respond to a consection of information biness it contains

DECL	_AF	RATIO	<u> </u>	- Ut	ility	or [Des	sigr	<u>1</u>	<u>Pate</u>	nt A	\pp	licati	ior	<u> </u>)	
I hereby claim the United States of A United States or P Information which and the national or	America, CT Inter is mater	, listed below a mational applic rial to patentab	nd, inso ation in ility as	ifar as t the mar defined	the subject oner providing 37 CFF	s applica t matter led by the l 1 56 wh	ation(s) of eac e first p nich be	or 365 th of the paragra ecame a	5(c) e cla ph o avail	of any PC aims of thi of 35 U.S.0 able betwe	T interna s applica c. 112, I sen the	ational a ation is acknow filing da	application d not disclosifiedge the d te of the pr	lesigna ed in t luty to rior ap	ating the the prior disclose plication		
U.S. Parent Application or PCT Parent Parent Filing Date Parent Patent Number (MM/DD/YYYY) (if applicable)																	
		T international														4	
As a named invent and Trademark Off	tor, I her fice cont	eby appoint the nected therewit	h: 🗶	ng regis Custom <i>OR</i>	tered prac er Numbe	titioner(s		secute 3897	this	applicatio	n and to	transa	ct all busine Place Cu Number B	ıstome	ər		
					red practit	ioner(s) i	name/r	egistrat	tion	number lis	ted belo	w L	Label			j	
	Name				Registrat Number					Nam	e			gistra Numb		1	
Thomas S		k		24,5	518			Dav	/id	M. Sc	hneck		43,	094		1	
Mark Prots		, lr		31,7				Gin	a N	AcCarth	ıy			986		į	
John P. M	icGuii	e, Jr.		41,9	984		- {									1	
Additional regi	istered p	oractitioner(s) r	amed o	n supple	emental R	egistered	Practi	itioner I	nfor	mation she	et PTO/	SB/02C	attached h	ereto.		1	
Direct all corresp	ponder		Custom or Bar (00389	97			OR	X C	orrespo	ondence a	ddres	s below		
Name	Law	Offices of	Thor	nas S	Schnec	k											
Address	P.O.	Box 2-E]	
Address															-		
	San	Jose					St	ate	C/	Ą	ZIP	951	09-0005	5		1	
	U.S.A	١.		Те	lephone	(40		7-97	33		Fax	(40	8) 297-9	748		1	
I hereby declare to be lieved to be true punishable by fine application or any	ue, and e or imp	further that the orisonment, or	ese stat both, u	in of mements	y own kno were mad	wledge de with t	he kno	wledge	tha	it willful fa	nents ma	ements	and the like	e so r	nade are		
Name of Sole	or Fi	rst Invento	r:					A petiti	on I	nas been	filed fo	r this u	ınsigned ir	rvento	or		
Give	n Nam	e (first and m	iddle [i	anyl)			-			Famil	y Name	or Su	rname			1	
Wij	eyara	tnam								SI	nantha	aruba	n			1.	
Inventor's Signature		6.	1	1-	<								Date	ő	15/0	1/	0
Residence: City	y	Mitcham	GE	χ	State	Surrey	c	ountry	I	U.K.			Citizensh	ip S	Sri Lan	ka	
Post Office Add	iress	137 Gorrin	nge P	ark A	venue											1	
Post Office Add	iress															1	
City		Mitcham	State	Suri	rey	ZIP	С	R4 2I	DL.		Cou	intry	U.K.]	
Additional in	ventors	s are being n	amed c	n the	1 supp	lement	al Add	ditional	Inv	entor(s)	sheet(s) PTO/	SB/02A at	ttache	ed heret	d	

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet

						Paç	ge <u> </u>	of <u>1</u>		
Name of Additional Joint Inventor, if any: A petition has been filed for this unsigned inventor										
Given Nar	me (first and middle [if any])					Family Na	me or	Sumame		
Peter	D. R.	,,		Landale						
Inventor's Signature	11th 2	M			·			24/01/07 Z		24/01/6Z
Residence: City	Dalswinton	Dumfri		Scotland, U.K.				Citizenship U.K.		
Post Office Address	Bankhead		B B10							
Post Office Address										
City	Dalswinton	State	Dumfri	ies	ZIP	DG2 0XZ	Count	ry Sco	tland	, U.K.
Name of Addition	nal Joint Inventor, if an	y:			A petitio	n has been file	ed for t	his unsigr	ed inv	entor
Given Na	me (first and middle [if any]))				Family Na	me or	Surname		
Inventor's Signature					Date					
Residence: City		State		Country Citizenship						
Post Office Address										
Post Office Address										
City		State			ZIP		Cor	ıntry		
	1	+	<u> </u>		LIF		1 000	211.17		
Name of Addition	nal Joint Inventor, if an	y:		<u></u>	A petition	on has been file	ed for t	this unsign	ned inv	/entor
Given Na	me (first and middle [if any])				Family Na	ame or	Sumame		
Inventor's Signature								Da	ite	
Residence: City		State		,	Country			Citize	nship	
Post Office Address										
Post Office Address			1		T				1	
City		State			ZIP			Country		

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED. FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.